




1 打开 cd 光盘 open the CD disk




2 找到【LAXIA3-V45】软件 find the [lexia-3 v45]software.



3 安装 lexia3 软件前 请在 C 盘建立一个空的文本文件命名为【version.txt】 before you install the lexia-3 software,please install a blank file which name is [version.txt]



4 点击【instlex3】click[instlex 3]



5 安装【enter】install[enter]



6 选择安装的国家【语言】 choose the installation country[language]



6 选择语言【ok】choose language[ok]



7 电脑提示【please install the PROXIA recoveryCD before installing this version】the computer will remind you[please install the proxia recovery CD before installing this version]

（若有这个提示 表示有的电脑系统有缺陷 请在电脑的 c 盘建立空的文本文档命名【version】）If have such remediation, it means your computer system have disadvantage, please install a blank txt file named[version] in C partition.




Lexia3


By ACTIA® 

Please install the PROXIA Recovery CD before installing this version.





7 选择按在 C 盘 please choose install in C Disk.



8 开始安装 start installing.




Lexia3



By



Operation in progress, please wait.




9 关掉 Internet 提示 close the internet tip.




10 安装完成 install finish.




11 把 lexia3 诊断设备连接—车 用短的 usb 线连接电脑【电脑提示安装 usb 驱动】 connect lexia-3 with a car, use the short usb cable connect it to computer[the computer remind you to find usb drive]




12 打开这段软件开始诊断 open the diagnose software begin diagnose




13 选择【unblock】 please choose [unblock]



13 关掉升级提示 if it ask you to update, please close it. do not update through internet.



14 选择要诊断的车【演示的车是 XM】Choose the car you are going to diagnose[the car we used to display is XM]



15 选择【xm】 choose [XM]



XM

Vehicle selection




Specify the choice of vehicle and confirm.



XM

XM

Selection of the application



SEDRE

PHYSICAL MEASUREMENT


Scantool

Select an application and confirm.


To change vehicle, close all open applications then select "selection of the vehicle" in the navigation zone or use the F9 key.


Warning: in order to renew the recorded vehicle data, you must carry out this procedure even when you change for a vehicle of the same model.

16 填写 vin 码 input vin code(you can input as our pic show)



17 选择手动激活 F3 choose manually active F3.





18 打开 CD 激活码计算软件【lexia3keyexe】open CD active code calculate software.

XM XM 11111111111111111111

Activate the applications

This screen lets you activate the applications manually.
There are two different ways in which to do this :

1. By connecting to the Internet address <https://www.wrs-actia.com/psa/ClientLogin>.
- 2 By calling technical assistanceACTIA.

In both cases, you will be asked for the following information :

Your RRDI code, check whether the following code is correct : 001
The number of the version of your software packages : LEXIA-345.13
The identifier of your PC : 279127789
The server request code : 21430

From this information, you will be given an activation code.
Please enter this code in the box below and then confirm to complete the activation :

F1 F2

start The Lexia office V1.4.5 Lexia-3 (F:)

Lexia-3 (F:) File Edit View Favorites Tools Help

Back Search Folders

Address F:\

Files Currently on the CD

- LEXIA3_KEYGEN
- LEXIA3_V45
- PP2000_09...
- PP20C

File and Folder Tasks

- Rename this folder
- Move this folder
- Copy this folder
- Publish this folder to the Web
- Share this folder
- E-mail this folder's files
- Delete this folder

Other Places

- My Computer
- My Documents
- Shared Documents
- My Network Places

Details

CITROËN

XM XM 11111111111111111111

Activate the applications

This screen lets you activate the applications manually.
There are two different ways in which to do this :

1. By connecting to the Internet address <https://www.wrs-actia.com/psa/ClientLogin>.
- 2 By calling technical assistanceACTIA.

In both cases, you will be asked for the following information :

Your RRDI code, check whether the following code is correct : 001
The number of the version of your software packages : LEXIA-345.13
The identifier of your PC : 279127789
The server request code : 21430

From this information, you will be given an activation code.
Please enter this code in the box below and then confirm to complete the activation :

F1 F2

start The Lexia office V1.4.5 Lexia-3 (F:)

LEXIA3_KEYGEN File Edit View Favorites Tools Help

Back Search Folders

Address F:\LEXIA3_KEYGEN

Files Currently on the CD

- Instruction Photo
- LEXIA3_KEY...
- Read P...

File and Folder Tasks


- Make a new folder
- Publish this folder to the Web
- Share this folder


Other Places

- Lexia-3 (F:)
- My Documents
- Shared Documents
- My Network Places

Details

19 把 id 填入计算器中【在填写 lexia-345 的时候不要填写为 lexia-345.13】 input ID into the calculate machine[when write lexia-345 please pay attention, do not write it as lexia-345.13]





20 激活成功进入诊断 active succeed and then enter diagnose.



XM XM 11111111111111111111

Selection of the application

- ▶ LEXIA
- SEDRE
- PHYSICAL MEASUREMENT
- Scantool



Select an application and confirm.
To change vehicle, close all open applications then select "selection of the vehicle" in the navigation zone or use the F9 key.
Warning: in order to renew the recorded vehicle data, you must carry out this procedure even when you change for a vehicle of the same model.

F1 F2 F3 F10 F11 F12


XM



- Diagnosis
- Downloading
- Replacement parts
- Pre-Delivery Inspection
- Personalised maintenance
- Battery charge status
- Consult technical documentation

Allows fault finding of CITROEN vehicles

F2 V, Ω F5 EXIT


21 选择【test by function】 choose [test by function]





22 选择 ecu 的型号【演示的是 2.0r6e bosch】choose ecu type[the one we choose to display is 2.0r6e bosch]





23 ecu 通讯 ok ecu communication ok

Diagnosis XM MP5.2

Ecu MP5.2 fitted to KFW
check your choice
Validate to continue

F9 F7 F8 F12

start The Lexia office V1.4.5 PP52000 Lexia v345.13 3:57 PM

Diagnosis XM MP5.2

Identification

Fault reading

Fault erasing

Parameter measurements

Actuator tests

Allows the ecu to be identified

F2 V, Ω

start The Lexia office V1.4.5 PP52000 Lexia v345.13 3:58 PM

Diagnosis XM MP5.2 Identification

**** IDENTIFICATION ****

Manuf.ref: 0261204791 Evol.ind.: 1037350358

F1 F2 Memory 1 2 3 4 5

F9 F7